

ZPMV2.E96892 - Wiring, Printed - Component

Wiring, Printed - Component

PRECOPLAT GMBH

E96892

OBERDIESEMERSTRASSE 15 KREFELD, 47805 Germany

Cond Width				Max				Max					
	Min	Min Edge	Cond Thk	SS/ DS/	Area Diam	Assembly Solder Process Process			Solder Oper Limits Temp		Flame	Meets UL796	
Туре	mm(in)	mm(in)	mic(mil)	DSO	mm(in)	Temp °C	Cycles	°C	sec	°C	Class	DSR	1
Multi layer printed wiring boards													
ML1	0.075 (0.003)	0.1 (0.004)	16.5 (0.65) Int:66	DS	50.8 (2)	3	-	288	20	130	V-0	All	*
ML1b	0.075 (0.003)	0.1 (0.004)	16.5 (0.65) Int:66	DS	25.4 (1)	-	-	288	20	130	V-0	All	*
Single layer printed wiring boards													
Soco	0.33 (0.013)	0.51 (0.02)	8.1 (0.32)	DS	28.6 (1.1)	-	¥	260	5	120	V-0	All	*
Soco1	0.05 (0.002)	0.15 (0.006)	16.5 (0.65)	DS	50.8 (2)		-	288	20	130	V-0	All	*

^{* -} CTI marking is optional and may be marked on the printed wiring board.

Marking: Company name or tradename "MIC" or trademark or file number and type designation. May be followed by a suffix to denote factory identification or flammability classification.

Last Updated on 2021-10-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2021 UL LLC"